

At page 12, lines 21 to 27:

Fig. 6A is a graph showing the DNA content (no. of cells) of a bone marrow cell culture on tissue culture polystyrene (- matrix) and in vitro formed bone matrix (+ matrix).

B¹ Fig. 6B is a graph showing the alkaline phosphatase activity (APA) of a bone marrow cell culture on tissue culture polystyrene (- matrix) and in vitro formed bone matrix (+ matrix).

Fig. 6C is a graph showing the APA/DNA ratio of a bone marrow cell culture on tissue culture polystyrene (- matrix) and in vitro formed bone matrix (+ matrix).

In the Claims:

Please amend the claims as follows:

10. (Amended) A method of producing active factors comprising the steps of:

- B²
- (a) applying undifferentiated mammalian cells on a substrate;
 - (b) contacting the cells with a culture medium for a sufficient time to produce a matrix;
 - (c) contacting the cells with the culture medium for a sufficient time to produce active factors;
 - (d) removing the substrate and the matrix from the culture medium; and
 - (e) recovering the active factors from the culture medium.

Please add the following new claims:

B³ 13. (NEW) The method of claim 10, wherein the active factors comprise growth factors.

14. (NEW) The method of claim 13, wherein the growth factors are selected from the group consisting of bone formation factors, bone remodeling factors, cell proliferation factors and cell adhesion factors.

15. (NEW) The method of claim 10, wherein the matrix is a mineralized matrix or a non-mineralized matrix.

16. (NEW) The method of claim 10, wherein the undifferentiated mammalian cells comprise bone marrow cells.

17. (NEW) The method of claim 16, wherein the bone marrow cells comprise stromal cells.

B3
cont
18. (NEW) The method of claim 10, wherein the undifferentiated mammalian cells comprise autologous cells.

19. (NEW) The method of claim 10, wherein the undifferentiated mammalian cells are induced to differentiate by one or more inductors of differentiation.

20. (NEW) A method of producing bone growth factors comprising the steps of:

- (a) applying bone marrow cells on a substrate;
- (b) contacting the bone marrow cells with a culture medium for a sufficient time to produce bone growth factors; and
- (c) recovering the bone growth factors from the substrate.

21. (NEW) the method according to claim 20, wherein the bone marrow cells comprise stromal cells.

22. (NEW) The method according to claim 20, wherein the bone marrow cells comprise autologous bone marrow cells.

23. (NEW) The method according to claim 20, wherein the bone growth factors are selected from the group consisting of bone formation factors, bone remodeling factors, bone cell proliferation factors and bone cell adhesion factors.

24. (NEW) The method according to claim 20, wherein the bone marrow cells are induced to differentiate by one or more inductors of differentiation.

B3
Cont.
25. (NEW) A method of producing growth factors comprising the steps of:

- (b) applying stromal cells on a substrate;
- (b) contacting the stromal cells with a culture medium for a sufficient time to produce growth factors; and
- (c) recovering the growth factors from the substrate.

26. (NEW) The method of claim 25, wherein the stromal cells comprise autologous stromal cells.

27. (NEW) The method of claim 25, wherein the stromal cells are introduced to differentiate by one or more inductors of differentiation.

B³

28. (NEW) The method of claim 25, wherein the growth factors are selected from the group consisting of bone formation factors, bone remodeling factors, cell proliferation factors and cell adhesion factors.
